

# GT Omega




## Zephyr

### Assembly Guide


Recommended  
**1-2 People**



Read Instructions  
**10 Minutes**



Assembly Time  
**30 Minutes**



# TABLE OF CONTENTS

---

PAGE 1

NOTICES

---

PAGE 2

WHAT'S IN THE BOX

---

PAGE 3 - 7

ASSEMBLY INSTRUCTIONS

---




**Need Help?** We're here for you! Contact our support team:



 [SupportUK@gtomega.com](mailto:SupportUK@gtomega.com)

*Handling times targeted at 24 hours.  
Please allow time for a response.*

 (+44)0141-370-6780

*Monday - Friday  
9am - 4pm (Glasgow, Scotland)*

# WARNING



Do not exceed  
weight capacity  
of **136KG**



Do not stand  
on the chair.



Keep hands  
away from  
moving parts



FAILURE TO COMPLY WITH OR OBSERVE ALL ASSEMBLY, SAFETY, AND OPERATION INSTRUCTIONS REGARDING THE USE OF THIS PRODUCT MAY RESULT IN **PROPERTY DAMAGE OR BODILY INJURY.**

- This document contains important safety regulations. Any non-conforming use may result in personal injury or mechanical damage.
- Please read this user manual carefully before use as it provides key information about safety, use, assembly and maintenance of the chair.
- Ensure that you have received all parts according to the part checklist prior to installation. If any parts are missing or faulty, contact the GT Omega support team for replacements.
- **Do not** over tighten the screws during installation.
- This product contains small items that could be a choking hazard if swallowed. Keep these items away from children.
- This product is designed for indoor use only. Using the product outdoors could lead to product failure and personal injury
- Alteration or modification of any factory components outlined in the checklist will automatically void your warranty
- Place the chair away from corrosive gas, water and dusty environments.

This chair is designed for indoor use and dry work areas only. Under no circumstances does the manufacturer accept warranty claims or liability claims for damages caused from improper use or handling of the chair.

# WHAT'S IN THE BOX

## Hardware

**L**



**16x**  
M8

**M**



**10x**  
M6

**N**




**2x**  
M5

**O**



**16x**  
Washer


## Tools Required



Allen Wrench + Screwdriver  
*(Included)*


## Components

**A**




**5x**  
Caster Wheels

**B**



**1x**  
Star Base

**C**




**5x**  
Chair Legs

**D**




**1x**  
Short Piston

**E**



**1x**  
Chair Mechanism

**F**




**2x**  
Arm Rests

**G**



**1x**  
Chair Back

**H**




**1x**  
Chair Base

**I**




**1x**  
Side Cap Set 1

**J**



**1x**  
Side Cap Set 2



**K**



**1x**  
Cushion

# ASSEMBLY INSTRUCTIONS


1



## Connect seat back with seat base.

Align the backrest and the rear of the seat base carefully according to the picture. Secure back onto the seat via the loose support bracket before the tight one.

2




## Secure seat back with seat base.

Use the 8mm Allen key and the previously removed M8 bolts to attach the backrest to the seat base.

# ASSEMBLY INSTRUCTIONS


3



## Right side cover

Fit caps using short screws using the screwdriver end of the allen key. Use screw cover to fill hole after.

4




## Left side cover

Fit caps using short screws using the screwdriver end of the allen key. Use screw cover to fill hole after.

# ASSEMBLY INSTRUCTIONS

---


5



## Armrest mounting

Attach the armrests, armrests are universal and can be put onto either side. Secure the armrests with the M8 bolts, attach all four bolts loosely before tightening.

6




## Chair mechanism mounting

Attach the mechanism using M8 bolts and allen key.

# ASSEMBLY INSTRUCTIONS


7



## Starbase Assembly

Attach the legs to the starbase and screw in the 10 X Screws.

8



## Complete Starbase

Attach the wheels to each leg, add the starbase cover and piston into the middle of the starbase

# ASSEMBLY INSTRUCTIONS

---

9



## Linking the parts

Align and connect the base and chair by inserting the gas piston into the opening on the chair mechanism according to the picture.

10



## Detachable lumbar cushion

Pull the lumbar cushion straps through the backrest openings from front to back according to the picture. Connect both buckles from the bottom and top of the backrest to secure and adjust the lumbar cushion.

**Looking to upgrade your comfort? Check out these best sellers!**



**Mouse Mat**

Developed with ergonomics in mind, our Omeganomic desk mat is the leading choice for adding comfort to your new desk.



**Floor Pad**

The Omeganomic Floor Pad features embroidered anti-fray edges and a dual-purpose non-slip rubber backing which protects your floors and stops the mat from sliding.



**CORE Single Motor Desk**

Designed to elevate any workspace, the CORE Series Single Motor Desk combines convenience with a modern aesthetic.

